

DELHI POLLUTION CONTROL COMMITTEE  
(Government of N.C.T of Delhi)  
4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6  
visit us at : <http://dpcc.delhigovt.nic.in>

ANALYSIS REPORT OF NARAYANA CETP (21.6 MLD)

Report Number: DPCC/W/CETP/19-20/78 / 853

Dated 09/09/2019

1. Name & Address of Ind. / Unit NARAYANA CETP (21.6 MLD)
2. Sampling location Inlet and Outlet of CETP
3. Date of Sampling 23.08.19
4. Sample analyzed and results DPCC LAB
5. Parameters analyzed and result

S.No	Parameter	Inlet		Final Outlet	
		Water Quality	EPA Standards	Water Quality	EPA Standards
1	pH	-	5.5-9.0	-	5.5-9.0
2	TSS	-	250	-	100
3	COD	-	...	-	250
4	BOD (3 days at 27° C)	-	...	-	30
5	Ni	-	3	-	3
6	Cu	-	3	-	3
7	Zn	-	15	-	5
8	Cr (Total)	-	2	-	2
9	Pb	-	1	-	0.1
10	Cl	-	...	-	1000
11	SO <sub>4</sub>	-	...	-	1000
12	Cd	-	1	-	1
13	Oil & Grease	-	20	-	10
14	TDS	-	...	-	2100
15	Ammonical Nitrogen as N	-	50	-	50
16	Fluoride	-	15	-	2
17	Sulphide	-	...	-	2.8

All values are in mg/l except pH-

... No Standards

ND- Not Detectable

Flow: No Flow

Remarks: Pumping station was under desilting as informed by Plant Incharge.

*N. Mishra*  
SR. SCIENTIST

*[Signature]*  
SCIENTIFIC ASSISTANT



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T of Delhi)

4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6

visit us at : <http://dpcc.delhigovt.nic.in>

## ANALYSIS REPORT OF OKHLA CETP (24 MLD)

Report Number: DPCC/W/CETP/19-20/77 / 852

Dated 09/09/2019

1. Name & Address of Ind. / Unit  
OKHLA CETP (24 MLD)
2. Sampling location  
Inlet and Outlet of CETP
3. Date of Sampling  
19.08.19
4. Sample analyzed and results  
DPCC LAB
5. Parameters analyzed and result

S.No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	7.9	5.5-9.0	7.8	5.5-9.0	-
2	TSS	608	250	46	100	-
3	COD	484	...	92	250	-
4	BOD (3 days at 27° C)	160	...	28	30	-
5	Ni	1.08	3	0.87	3	-
6	Cu	3.11	3	ND	3	-
7	Zn	6.60	15	5.01	5	-
8	Cr (Total)	4.90	2	3.62	2	-
9	Pb	0.38	1	0.23	0.1	-
10	Cl	840	...	645	1000	-
11	SO <sub>4</sub>	403.5	...	200.1	1000	-
12	Cd	ND	1	ND	1	-
13	Oil & Grease	32.4	20	2.4	10	-
14	TDS	1140	...	1040	2100	-
15	Ammonical Nitrogen as N	72.5	50	42.3	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	4.8	...	2.4	2.8	-

All values are in mg/l except pH

... No Standards

ND- Not Detectable

Flow: 2.56 MLD

Remarks: OLMS was non-operational at the time of DPCC monitoring.

*N. Mishra*  
SR. SCIENTIST

*[Signature]*  
SCIENTIFIC ASSISTANT



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T of Delhi)

4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6

visit us at : <http://dpcc.delhigovt.nic.in>

## ANALYSIS REPORT OF BAWANA CETP (35 MLD)

Report Number: DPCC/W/CETP/19-20/76 | 85/

Dated 09/09/2019

1. Name & Address of Ind. / Unit
2. Sampling location
3. Date of Sampling
4. Sample analyzed and results
5. Parameters analyzed and result

BAWANA CETP (35 MLD)

Outlet of CETP

16.08.19

DPCC LAB

S.No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	6.3	5.5-9.0	6.8	5.5-9.0	7.3
2	TSS	1376	250	40	100	31.9
3	COD	1600	...	84	250	116
4	BOD (3 days at 27° C)	530	...	28	30	25.6
5	Ni	1.08	3	0.14	3	-
6	Cu	4.88	3	ND	3	-
7	Zn	3.19	15	0.34	5	-
8	Cr (Total)	3.62	2	1.56	2	-
9	Pb	0.82	1	0.38	0.1	-
10	Cl	2990	...	2390	1000	-
11	SO <sub>4</sub>	154.8	...	96.4	1000	-
12	Cd	ND	1	ND	1	-
13	Oil & Grease	12.4	20	3.2	10	-
14	TDS	4400	...	3740	2100	-
15	Ammonical Nitrogen as N	84.3	50	44.9	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	5.6	...	3.2	2.8	-

All values are in mg/l except Ph


No Standards

ND- Not Detectable

Flow: 21.142 MLD

*N. Mittal*  
SR. SCIENTIST

*[Signature]*  
SCIENTIFIC ASSISTANT



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T of Delhi)

4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6

visit us at : <http://dpcc.delhigovt.nic.in>

## ANALYSIS REPORT OF BADLI CETP (12 MLD)

Report Number: DPCC/W/CETP/19-20/75 / 850

Dated 09/09/2019

1. Name & Address of Ind. / Unit
2. Sampling location
3. Date of Sampling
4. Sample analyzed and results
5. Parameters analyzed and result

BADLI CETP (12 MLD)

Outlet of CETP

16.08.19

DPCC LAB

S.No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	6.1	5.5-9.0	6.7	5.5-9.0	8.7
2	TSS	180	250	86	100	30.3
3	COD	480	...	140	250	93.9
4	BOD (3 days at 27° C)	140	...	48	30	15.3
5	Ni	1.18	3	0.14	3	-
6	Cu	5.47	3	ND	3	-
7	Zn	3.16	15	1.39	5	-
8	Cr (Total)	1.93	2	0.25	2	-
9	Pb	0.52	1	ND	0.1	-
10	Cl	240	...	230	1000	-
11	SO <sub>4</sub>	720	...	530.5	1000	-
12	Cd	1.0	1	ND	1	-
13	Oil & Grease	8.4	20	2.4	10	-
14	TDS	1770	...	846	2100	-
15	Ammonical Nitrogen as N	36.5	50	24.5	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	6.8	...	1.9	2.8	-

All values are in mg/l except Ph

No Standards


ND- Not Detectable

Flow: 2.4 MLD

*N. Mishra*

SR. SCIENTIST

*[Signature]*  
SCIENTIFIC ASSISTANT



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T of Delhi)

4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6

visit us at : <http://dpcc.delhigovt.nic.in>

## ANALYSIS REPORT OF NANGLOI CETP (12 MLD)

Report Number: DPCC/W/CETP/19-20/74 / 849

Dated 09/09/2019

1. Name & Address of Ind. / Unit  
NANGLOI CETP (12 MLD)
2. Sampling location  
Outlet of CETP
3. Date of Sampling  
16.08.19
4. Sample analyzed and results  
DPCC LAB
5. Parameters analyzed and result

S.No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	7.4	5.5-9.0	6.9	5.5-9.0	7.5
2	TSS	320	250	48	100	58.4
3	COD	560	...	116	250	54.5
4	BOD (3 days at 27° C)	180	...	36	30	15.5
5	Ni	0.97	3	0.66	3	-
6	Cu	2.52	3	ND	3	-
7	Zn	1.69	15	1.39	5	-
8	Cr (Total)	0.42	2	0.42	2	-
9	Pb	0.08	1	ND	0.1	-
10	Cl	1285	...	1110	1000	-
11	SO <sub>4</sub>	548.5	...	120.5	1000	-
12	Cd	1	1	ND	1	-
13	Oil & Grease	12.4	20	2.4	10	-
14	TDS	2740	...	2440	2100	-
15	Ammonical Nitrogen as N	56.4	50	24.5	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	6.8	...	3.2	2.8	-

All values are in mg/l except Ph

No Standards

ND- Not Detectable

Flow: 1.8 MLD

*N. Mittal*  
SR. SCIENTIST

*[Signature]*  
SCIENTIFIC ASSISTANT



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T of Delhi)

4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6

visit us at : <http://dpcc.delhigovt.nic.in>

## ANALYSIS REPORT OF MANGOLPURI CETP (2.4 MLD)

*Dated 09/09/2019*

Report Number: DPCC/W/CETP/19-20/73 | 848

1. Name & Address of Ind. / Unit
2. Sampling location
3. Date of Sampling
4. Sample analyzed and results
5. Parameters analyzed and result

MANGOLPURI CETP (2.4 MLD)

Outlet of CETP

16.08.19

DPCC LAB

S.No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	7.9	5.5-9.0	7.4	5.5-9.0	7.8
2	TSS	544	250	38	100	9.4
3	COD	720	...	76	250	69
4	BOD (3 days at 27° C)	230	...	24	30	22
5	Ni	0.66	3	0.35	3	-
6	Cu	3.11	3	2.52	3	-
7	Zn	1.24	15	0.97	5	-
8	Cr (Total)	1.06	2	0.48	2	-
9	Pb	ND	1	ND	0.1	-
10	Cl	3140	...	3040	1000	-
11	SO <sub>4</sub>	120.5	...	94.6	1000	-
12	Cd	ND	1	ND	1	-
13	Oil & Grease	24.8	20	3.2	10	-
14	TDS	2760	...	2130	2100	-
15	Ammonical Nitrogen as N	56.7	50	39.5	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	4.8	...	2.1	2.8	-

All values are in mg/l except Ph

No Standards

ND- Not Detectable


Flow: 2.20 MLD

*N. Mittal*

SR. SCIENTIST

*[Signature]*

SCIENTIFIC ASSISTANT

**DELHI POLLUTION CONTROL COMMITTEE**

(Government of N.C.T of Delhi)

4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6visit us at : <http://dpcc.delhigovt.nic.in>**ANALYSIS REPORT OF LAWRENCE ROAD CETP (12 MLD)**

Report Number: DPCC/W/CETP/19-20/72 1847

dated 09/09/2019

1. Name & Address of Ind. / Unit  
LAWRENCE ROAD (12 MLD)
2. Sampling location  
Outlet of CETP
3. Date of Sampling  
16.08.19
4. Sample analyzed and results  
DPCC LAB
5. Parameters analyzed and result

S.No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	6.1	5.5-9.0	7.7	5.5-9.0	6.9
2	TSS	236	250	94	100	28.3
3	COD	520	...	260	250	88.1
4	BOD (3 days at 27° C)	160	...	72	30	20.7
5	Ni	0.35	3	0.14	3	-
6	Cu	3.11	3	2.52	3	-
7	Zn	1.84	15	1.12	5	-
8	Cr (Total)	3.62	2	1.78	2	-
9	Pb	0.38	1	0.08	0.1	-
10	Cl	2535	...	1035	1000	-
11	SO <sub>4</sub>	196.5	...	140.5	1000	-
12	Cd	1	1	ND	1	-
13	Oil & Grease	14.8	20	4.4	10	-
14	TDS	2450	...	2010	2100	-
15	Ammonical Nitrogen as N	73.94	50	48.75	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	4.8	...	2.4	2.8	-

All values are in mg/l except Ph

No Standards

ND- Not Detectable

Flow: 1.2 MLD

*N. Mitra*  
SR. SCIENTIST

*[Signature]*  
SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE  
(Government of N.C.T of Delhi)  
4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6  
visit us at : <http://dpcc.delhigovt.nic.in>

ANALYSIS REPORT OF NARELA CETP (22.5 MLD)

Report Number: DPCC/W/CETP/19-20/71 / 846

Dated 09/09/2019

1. Name & Address of Ind. / Unit NARELA CETP (22.5 MLD)
2. Sampling location Inlet and Outlet of CETP
3. Date of Sampling 13.08.19
4. Sample analyzed and results DPCC LAB
5. Parameters analyzed and result

S. No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	7.6	5.5-9.0	8.0	5.5-9.0	7.7
2	TSS	432	250	26	100	23.9
3	COD	600	...	72	250	61.1
4	BOD (3 days at 27° C)	220	...	22	30	15.9
5	Ni	0.77	3	0.14	3	-
6	Cu	5.47	3	3.11	3	-
7	Zn	1.69	15	1.24	5	-
8	Cr (Total)	3.62	2	1.78	2	-
9	Pb	0.97	1	0.97	0.1	-
10	Cl	940	...	790	1000	-
11	SO <sub>4</sub>	320.5	...	138.6	1000	-
12	Cd	1	1	ND	1	-
13	Oil & Grease	24.8	20	3.2	10	-
14	TDS	2750	...	2450	2100	-
15	Ammonical Nitrogen as N	64.6	50	34.8	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	3.4	...	2.8	2.8	-

All values are in mg/l except Ph

No Standards


ND- Not Detectable

Flow: 22.5 MLD

*N. Mahta*  
SR. SCIENTIST

*[Signature]*  
SCIENTIFIC ASSISTANT



**DELHI POLLUTION CONTROL COMMITTEE**

(Government of N.C.T of Delhi)

4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6visit us at : <http://dpcc.delhigovt.nic.in>**ANALYSIS REPORT OF MAYAPURI CETP (3.5 MLD)**

Report Number: DPCC/W/CETP/19-20/70 / 845

Dated 09/09/2019

1. Name & Address of Ind. / Unit
2. Sampling location
3. Date of Sampling
4. Sample analyzed and results
5. Parameters analyzed and result

MAYAPURI CETP (3.5 MLD)

Outlet of CETP

09.08.19

DPCC LAB

S. No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	7.8	5.5-9.0	8.1	5.5-9.0	7.35
2	TSS	108	250	44	100	49.6
3	COD	324	...	96	250	83.9
4	BOD (3 days at 27° C)	98	...	32	30	23.7
5	Ni	0.87	3	0.66	3	-
6	Cu	4.29	3	2.52	3	-
7	Zn	1.60	15	1.09	5	-
8	Cr (Total)	3.50	2	1.72	2	-
9	Pb	0.67	1	0.23	0.1	-
10	Cl	1035	...	830	1000	-
11	SO <sub>4</sub>	206.8	...	175.5	1000	-
12	Cd	ND	1	ND	1	-
13	Oil & Grease	12.4	20	2.4	10	-
14	TDS	1220	...	1020	2100	-
15	Ammonical Nitrogen as N	36.5	50	29.4	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	4.2	...	2.8	2.8	-

All values are in mg/l except Ph


No Standards

ND- Not Detectable

Flow: 3.5 MLD

SR. SCIENTIST

SCIENTIFIC ASSISTANT



**DELHI POLLUTION CONTROL COMMITTEE**  
(Government of N.C.T of Delhi)  
4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6  
visit us at : <http://dpcc.delhigovt.nic.in>

**ANALYSIS REPORT OF WAZIRPUR CETP (1.5 MLD)**

Report Number: DPCC/W/CETP/19-20/68 | 843

*Dated 09/09/2019*

1. Name & Address of Ind. / Unit WAZIRPUR CETP (1.5 MLD)
2. Sampling location Outlet of CETP
3. Date of Sampling 08.08.19
4. Sample analyzed and results DPCC LAB
5. Parameters analyzed and result

S. No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	3.4	5.5-9.0	6.2	5.5-9.0	7.38
2	TSS	120	250	48	100	7.5
3	COD	288	...	76	250	78.4
4	BOD (3 days at 27° C)	78	...	22	30	19.5
5	Ni	2.12	3	0.14	3	-
6	Cu	4.88	3	2.52	3	-
7	Zn	1.45	15	1.21	5	-
8	Cr (Total)	7.73	2	3.44	2	-
9	Pb	2.0	1	1.26	0.1	-
10	Cl	740	...	740	1000	-
11	SO <sub>4</sub>	145.5	...	135.5	1000	-
12	Cd	1.0	1	ND	1	-
13	Oil & Grease	12.4	20	3.2	10	-
14	TDS	3270	...	2740	2100	-
15	Ammonical Nitrogen as N	59.5	50	24.8	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	8.4	...	3.2	2.8	-

All values are in mg/l except Ph


No Standards

ND- Not Detectable

Flow: 1.5 MLD

*N. Mishra*  
SR. SCIENTIST

*[Signature]*  
SCIENTIFIC ASSISTANT



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T of Delhi)

4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6

visit us at : <http://dpcc.delhigovt.nic.in>

## ANALYSIS REPORT OF SMA CETP (1.6 MLD)

Report Number: DPCC/W/CETP/19-20/69 | 844

Dated 09/09/2019

1. Name & Address of Ind. / Unit
2. Sampling location
3. Date of Sampling
4. Sample analyzed and results
5. Parameters analyzed and result

SMA CETP (1.6 MLD)

Outlet of CETP

08.08.19

DPCC LAB

S. No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	7.1	5.5-9.0	7.6	5.5-9.0	7.45
2	TSS	228	250	32	100	28.1
3	COD	360	...	80	250	71.6
4	BOD (3 days at 27° C)	120	...	28	30	13.0
5	Ni	0.66	3	0.56	3	-
6	Cu	1.94	3	ND	3	-
7	Zn	1.30	15	1.27	5	-
8	Cr (Total)	3.85	2	1.92	2	-
9	Pb	2.29	1	0.52	0.1	-
10	Cl	1065	...	665	1000	-
11	SO <sub>4</sub>	535	...	430	1000	-
12	Cd	2.0	1	ND	1	-
13	Oil & Grease	28.4	20	2.4	10	-
14	TDS	2490	...	1710	2100	-
15	Ammonical Nitrogen as N	62.84	50	24.39	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	4.2	...	4.0	2.8	-

All values are in mg/l except Ph

No Standards

ND- Not Detectable


Flow: 1.6 MLD

*N. Mishra*

SR. SCIENTIST

*[Signature]*

SCIENTIFIC ASSISTANT

**DELHI POLLUTION CONTROL COMMITTEE**

(Government of N.C.T of Delhi)

4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6visit us at : <http://dpcc.delhigovt.nic.in>**ANALYSIS REPORT OF GTK CETP (2.5 MLD)**

Report Number: DPCC/W/CETP/19-20/67 / 842

Date 09/09/2019

1. Name & Address of Ind. / Unit  
GTK CETP (2.5 MLD)
2. Sampling location  
Outlet of CETP
3. Date of Sampling  
08.08.19
4. Sample analyzed and results  
DPCC LAB
5. Parameters analyzed and result

S. No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
1	pH	7.9	5.5-9.0	8.0	5.5-9.0	7.50
2	TSS	272	250	44	100	36.90
3	COD	312	...	84	250	197.56
4	BOD (3 days at 27° C)	75	...	26	30	15.21
5	Ni	0.14	3	0.56	3	-
6	Cu	4.88	3	2.52	3	-
7	Zn	4.15	15	2.14	5	-
8	Cr (Total)	3.91	2	1.92	2	-
9	Pb	2.44	1	1.26	0.1	-
10	Cl	515	...	500	1000	-
11	SO <sub>4</sub>	412	...	340	1000	-
12	Cd	4.0	1	ND	1	-
13	Oil & Grease	20.4	20	3.2	10	-
14	TDS	1260	...	1140	2100	-
15	Ammonical Nitrogen as N	48.7	50	24.8	50	-
16	Fluoride	-	15	-	2	-
17	Sulphide	4.5	...	3.4	2.8	-

All values are in mg/l except Ph


No Standards

ND- Not Detectable

Flow: 2.5 MLD

*Mitha*  
SR. SCIENTIST

*[Signature]*  
SCIENTIFIC ASSISTANT



**DELHI POLLUTION CONTROL COMMITTEE**  
 (Government of N.C.T of Delhi)  
 4<sup>th</sup> Floor I.S.B.T. Building Kashmiri Gate Delhi-6  
 visit us at : <http://dpcc.delhigovt.nic.in>

**ANALYSIS REPORT OF JHILMIL CETP (5.735 MLD)**

*Dated 09/09/2019*

Report Number: DPCC/W/CETP/19-20/66 | 841

**JHILMIL CETP (5.735 MLD)**  
 Outlet of CETP  
 07.08.19  
 DPCC LAB

1. Name & Address of Ind. / Unit
2. Sampling location
3. Date of Sampling
4. Sample analyzed and results
5. Parameters analyzed and result

S. No	Parameter	Inlet		Final Outlet		OLMS
		Water Quality	EPA Standards	Water Quality	EPA Standards	
			5.5-9.0	7.7	5.5-9.0	8.04
1	pH	7.4		56	100	70.4
2	TSS	104	250	80	250	113.8
3	COD	230	...	26	30	21.0
4	BOD (3 days at 27° C)	80	...	0.66	3	-
5	Ni	1.18	3	ND	3	-
6	Cu	3.11	3	1.21	5	-
7	Zn	1.57	15	1.98	2	-
8	Cr (Total)	4.14	2	0.97	0.1	-
9	Pb	2.58	1	490	1000	-
10	Cl	1100	...	420.5	1000	-
11	SO <sub>4</sub>	640.6	...	ND	1	-
12	Cd	ND	1	2.4	10	-
13	Oil & Grease	14.4	20	1040	2100	-
14	TDS	1780	...	27.8	50	-
15	Ammonical Nitrogen as N	54.5	50	-	2	-
16	Fluoride	-	15	4.5	2.8	-
17	Sulphide	8.0	...			-

-All values are in mg/l except Ph  
 No Standards  
 ND- Not Detectable  
 Flow: 5.73 MLD

*N. Mishra*  
 SR. SCIENTIST

*[Signature]*  
 SCIENTIFIC ASSISTANT