

Water Quality Data of Bengaluru lakes for the Month of March- 2024

Sl. No.	STN Code	Name Of Monitoring Location	Use Based Class	Sample Date	Dissolved O2 (mg/L)	pH	Conductivity (µmhos/cm)	Hardness (mg/L)	Total Hardness (mg/L)	Total Calcium (mg/L)	Total Chloride (mg/L)	Total Sulphate (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Total Chloride (mg/L)	Total Sulphate (mg/L)	Total Hardness (mg/L)	Chloride (mg/L)	Ca (mg/L)	Mg (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Ca as CaCO3 (mg/L)	Ca	Mg as CaCO3 (mg/L)	Mg	Nitrate (mg/L)	Substrate (mg/L)	Total Dissolved Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Biomass (mg/L)	Plankton (mg/L)	Fluoride (mg/L)	Carbon Percentage	SAR	Free Ammonia-N	Other Parameters (mg/L)	
1	1388	Upper Lake Training Centre Of Fish Breeding	D (Preparation of water Bio, Aquaculture)	30	5	8.2	396	7	1.4	1700	4800	NA	3(BDCL)	84	137	3(BDCL)	84	48	84	48	1.5(BDCL)	0.4	68	40	16	28	7	31	52	272	192	0.2(BDCL)	0.5(BDCL)	16	0.39	56	3	BOD	0.05(BDCL)
2	2774	River Akshaya/ At Tippangumballi Reservoir	E (Drinking, industrial cooling and controlled waste)	31.4	4	8.6	1379	15	5.2	830	790	540	16	284	38.6	8	300	224	140	3.4	2.6	332	172	69	160	39	27	155	938	50	2.44	0.5(BDCL)	28	0.29	48	4	BOD	6.9	
3	3589	Malavalli	D (Preparation of water Bio, Aquaculture)	26	4.5	7.13	693	6	1.6	1700	7900	NA	3(BDCL)	180	212	3(BDCL)	180	128	55	1.5(BDCL)	0.4	212	108	43	104	25	30	63	476	14	0.3	0.5(BDCL)	6	0.28	38	2	BOD	0.93	
4	3880	Lalghat Tank	D (Preparation of water Bio, Aquaculture)	28	4.4	7.4	598	4	2.31	14000	49000	NA	3(BDCL)	136	9.4	3(BDCL)	136	96	43	1.5(BDCL)	0.61	160	84	34	76	18	24	57	418	12	0.2(BDCL)	0.5(BDCL)	12	0.39	41	2	BOD	0.51	
5	3591	Kompanahalli Tank	E (Drinking, industrial cooling and controlled waste)	28	2.9	7	553	20	2.14	4500	23000	NA	3(BDCL)	124	22.6	3(BDCL)	124	88	163	5.4	4.7	144	76	30	68	17	22	52	384	28	0.34	0.5(BDCL)	11	0.22	41	1.88	BOD	0.91	
6	3592	Yalghat Tank	E (Drinking, industrial cooling and controlled waste)	28	3.3	6.9	313	19	1.2	11000	33000	NA	3(BDCL)	68	10.8	3(BDCL)	68	48	160	5.1	4.4	80	44	18	36	9	13	29	216	14	0.31	0.5(BDCL)	6	0.2(BDCL)	41	1.4	BOD	0.91	
7	3593	Upper Lake Temple	D (Preparation of water Bio, Aquaculture)	29	5.1	8.2	393	7	1.4	3100	9400	NA	3(BDCL)	80	148	3(BDCL)	80	44	88	1.5(BDCL)	0.4	60	69	36	14	6	24	53	264	180	0.2(BDCL)	0.5(BDCL)	16	0.2(BDCL)	59	3	BOD	0.05(BDCL)	
8	3594	Sanket Tank	D (Preparation of water Bio, Aquaculture)	29	5.8	7.9	576	7	2.2	320	3500	NA	3(BDCL)	136	6.8	3(BDCL)	136	76	66	1.5(BDCL)	0.8	132	72	29	60	15	16	62	408	19(BDCL)	0.2(BDCL)	0.5(BDCL)	17	0.2(BDCL)	47	2.4	BOD	0.4	
9	3595	Bysandra Tank	D (Preparation of water Bio, Aquaculture)	29	5.4	8.5	385	6	1.4	3100	17000	NA	3(BDCL)	8	72	3(BDCL)	80	52	56	1.5(BDCL)	0.4	64	40	16	24	6	22	53	270	194	0.2(BDCL)	0.5(BDCL)	15	0.2(BDCL)	58	3	BOD	0.05(BDCL)	
10	3596	Nyandamballi Tank	D (Preparation of water Bio, Aquaculture)	24	4.3	7.8	913	11	3.4	320	3500	NA	3(BDCL)	224	8.4	3(BDCL)	224	148	104	1.5(BDCL)	0.82	208	108	43	100	24	27	98	640	12	0.5	0.5(BDCL)	34	0.2(BDCL)	46	2.9	BOD	0.9	
11	3597	Hosanghatta Lake	D (Preparation of water Bio, Aquaculture)	26	5.3	7	394	7	1.4	14	1600	NA	3(BDCL)	116	7.8	3(BDCL)	116	48	63	1.5(BDCL)	0.85	128	68	27	60	15	44	45	286	10(BDCL)	0.2(BDCL)	0.5(BDCL)	19	0.2(BDCL)	39	1.7	BOD	0.5	
12	3598	Hosaballi Tank	D (Preparation of water Bio, Aquaculture)	26	4.4	7.1	529	4	2	2200	9400	NA	3(BDCL)	120	19.6	3(BDCL)	120	84	44	1.5(BDCL)	0.79	140	72	29	68	17	22	49	364	26	0.2(BDCL)	0.5(BDCL)	11	0.2(BDCL)	40	1.8	BOD	0.44	
13	3599	Anchalpalya Lake	D (Preparation of water Bio, Aquaculture)	26	4.4	6.7	429	8	8.3	2100	9400	NA	3(BDCL)	76	9.2	3(BDCL)	76	84	76	1.5(BDCL)	0.69	108	60	24	40	10	20	69	304	12	0.2(BDCL)	0.5(BDCL)	22	0.2(BDCL)	52	2.9	BOD	0.6	
14	3601	Karibonhalli Lake	E (Drinking, industrial cooling and controlled waste)	25	1.4	7.7	3020	28	16.5	450000	2300000	NA	3(BDCL)	620	15.9	3(BDCL)	620	570	168	3.1	23	578	300	120	270	66	57	424	1998	22	2.5	0.5(BDCL)	32	0.34	60	8	BOD	7	
15	3602	Bellander Lake	D (Preparation of water Bio, Aquaculture)	27	4.4	7.1	646	8	2.3	2200	13000	NA	3(BDCL)	84	32.3	3(BDCL)	84	100	96	1.5(BDCL)	0.4	96	56	22	40	10	38	78	432	40	0.26	0.5(BDCL)	21	0.34	58	3	BOD	0.66	
16	3603	Vengalpuram (Kt Puram Lake)	E (Drinking, industrial cooling and controlled waste)	19	3.1	7.1	1517	21	5.8	320	3500	NA	3(BDCL)	352	8.9	3(BDCL)	352	252	155	4.8	3.9	412	212	85	200	49	62	121	1048	10(BDCL)	0.61	0.5(BDCL)	30	0.47	37	2.6	BOD	1.79	
17	3604	Doddanekkundi Lake	D (Preparation of water Bio, Aquaculture)	25	4.4	7.6	2241	11	10	2200	7000	NA	3(BDCL)	424	10.6	3(BDCL)	424	548	103	1.5(BDCL)	0.76	488	248	99	240	58	59	291	1536	14	3	0.5(BDCL)	26	0.2(BDCL)	55	5.8	BOD	5.8	
18	3605	Yelomappaly Shetty Lake	D (Preparation of water Bio, Aquaculture)	22	4.4	7	1730	5	6.6	220	2400	NA	3(BDCL)	396	10.8	3(BDCL)	396	288	60	1.5(BDCL)	0.52	472	240	96	232	56	70	138	1204	14	0.37	0.5(BDCL)	35	0.29	37	2.76	BOD	1.01	
19	3606	Dandaballi Tank	E (Drinking, industrial cooling and controlled waste)	28	0.5	6.7	383	18	1.7	1400	24000	NA	3(BDCL)	80	13.6	3(BDCL)	80	64	120	2.6	2	136	72	29	64	16	55	56	280	16	1	0.5(BDCL)	20	0.2(BDCL)	42	2	BOD	3	
20	3607	Kulkare Tank	E (Drinking, industrial cooling and controlled waste)	26	0.3(BDCL)	7.7	1253	148	4	2300	9400	NA	3(BDCL)	500	190	3(BDCL)	500	200	992	23.92	18.4	200	150	60	130	32	9	118	864	256	0.59	0.5(BDCL)	26	0.2(BDCL)	45	3	BOD	2.08	
21	3608	Verhekar Lake	E (Drinking, industrial cooling and controlled waste)	32	1.2	7.4	1405	81	4.8	1400	4800	NA	3(BDCL)	412	18.8	3(BDCL)	412	164	228	52	39	256	136	54	120	29	19	351	922	26	2.5	0.5(BDCL)	30	0.25	53	4	BOD	7.2	
22	3609	Bhalur Lake	D (Preparation of water Bio, Aquaculture)	28	4.6	7	619	8	2.2	630	3500	NA	3(BDCL)	40	37.5	3(BDCL)	40	92	92	1.5(BDCL)	0.4	88	52	21	36	9	41	75	418	50	0.29	0.5(BDCL)	20	0.34	59	3	BOD	0.78	
23	3610	Talabhalli Tank	D (Preparation of water Bio, Aquaculture)	26	4.4	7	702	8	2.4	1300	7000	NA	3(BDCL)	80	39.8	3(BDCL)	80	128	76	1.5(BDCL)	0.4	112	64	26	48	12	31	95	466	52	0.2(BDCL)	0.5(BDCL)	14	0.23	61	4	BOD	0.05(BDCL)	
24	3611	Kalichonhalli Lake	E (Drinking, industrial cooling and controlled waste)	28	1.3	7.9	2015	17	7	2300	7900	NA	3(BDCL)	564	122	3(BDCL)	564	332	132	2.86	2.2	340	176	70	164	40	108	252	1370	158	1.44	0.5(BDCL)	40	0.36	58	6	BOD	3.49	
25	3612	Agram Lake	E (Drinking, industrial cooling and controlled waste)	27	3.4	7.4	966	14	3.1	230	2400	NA	3(BDCL)	272	126	3(BDCL)	272	148	145	9.9	7.6	260	136	54	124	30	15	94	658	164	0.2(BDCL)	0.5(BDCL)	12	0.39	43	2.5	BOD	0.05(BDCL)	
26	3613	Gottigere Lake	D (Preparation of water Bio, Aquaculture)	26	4.6	7.6	1042	8	2.5	430	3500	NA	3(BDCL)	340	11.4	3(BDCL)	340	184	79	1.5(BDCL)	0.4	344	180	72	164	40	20	96	710	16	1.04	0.5(BDCL)	11	0.25	37	3	BOD	3.19	
27	3614	Patimbhalli Lake	E (Drinking, industrial cooling and controlled waste)	24	3.1	8	667	12	2.5	1400	4900	NA	3(BDCL)	128	10.6	3(BDCL)	128	100	116	1.5(BDCL)	0.98	128	72	29	56	14	11	66	456	22	0.2(BDCL)	0.5(BDCL)	8	0.22	50	2.5	BOD	0.05(BDCL)	
28	3615	Anahole Lake	E (Drinking, industrial cooling and controlled waste)	26	3.4	8.2	669	12	1.6	3300	11000	NA	3(BDCL)	192	52	3(BDCL)	192	132	147	1.5(BDCL)	0.9	172	92	37	80	19	20	70	456	66	1.01	0.5(BDCL)	7	0.27	46	2	BOD	3.12	
29	3616	Kilasa Agrahara Lake	D (Preparation of water Bio, Aquaculture)	26	4.3	8	580	5	1.3	3300	4800	NA	3(BDCL)	140	26.6	NA	140	124	48	1.5(BDCL)	0.8	188	100	40	88	21	16	60	396	32	0.2(BDCL)	0.5(BDCL)	8	0.2(BDCL)	40	2	BOD	0.12	
30	3618	Siggandra Lake	D (Preparation of water Bio, Aquaculture)	25	4.5	8.5	634	6	1.6	2200	4900	NA	3(BDCL)	64	112	68	32	176	132	55	1.5(BDCL)	0.4	212	112	45	100	24	31	65	NA	NA	NA	NA	7	NA	39	3	BOD	NA
31	3619	Begur Tank	E (Drinking, industrial cooling and controlled waste)	26	3.5	7.28	998	11	2.3	1700	7900	NA	3(BDCL)	200	14.3	3(BDCL)	200	156	103	1.5(BDCL)	0.61	244	128	51	116	28	31	92	680	18	0.2(BDCL)	0.5(BDCL)	8	0.42	44	3	BOD	0.05(BDCL)	
32	3620	Parappan Agrahara Lake	D (Preparation of water Bio, Aquaculture)	28	2.3	8.5	1088	17	4	13000	33000	NA	3(BDCL)	212	66.2	12	136	212	168	4.84	3.8	152	80	32	72	18	42	169	750	86	0.2(BDCL)	0.5(BDCL)	40	0.27	70	6	BOD	0.3	
33	3621	Hankur Lake	E (Drinking, industrial cooling and controlled waste)	27	3.2	9	836	15	3	1700	4600	NA	3(BDCL)	16	112	69.4	8	128	148	140	2.64	2	120	64	26	56													

Sl. No	STN Code	Name Of Monitoring Location	Use Based Class	Temperture	Dissolved O2 (mg/L)	pH	Conductivity (Micro-mhos/cm)	BOD (mg/L)	Nitrate-N (mg/L)	Total Calcium (Mg/100ml)	Total Calcium (Mg/100ml)	Fecal Streptococci (MPS/100ml)	Carbonate (CO3) (mg/L)	Bicarbonate (HCO3) (mg/L)	Turbidity (mg/L)	Phosphorus as Ammonium (mg/L)	Total Ammonia (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammonical N (mg/L)	Total Hardness (mg/L)	Ca + CaCO3 (mg/L)	Ca	Mg as CaCO3 (mg/L)	Ni	Na/K (mg/L)	Sodium (mg/L)	Total Dissolved Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sulfur Percentage	SAR	Free Ammonia as N	Ortho Phosphate (mg/L)
47	4514	Sahayansagar Lake	E (Drinking, industrial cooling and controlled waste)	27	3.5	7.1	819	19	3.3	1400	4900	NA	3(BDL)	140	15	3(BDL)	140	144	126	2	1.5	216	112	45	104	25	32	100	500	20	1.5	0.5(BDL)	15	0.2(BDL)	48	3	BDL	2.9
48	4515	Bhadraballi Lake	D (Preparation of water for,drinking)	22	5.9	8.5	907	7	3.6	3300	7900	NA	40	84	15.1	20	124	176	60	1.5(BDL)	0.51	80	44	18	36	9	34	73	616	20	0.2(BDL)	0.5(BDL)	6	0.48	64	4	BDL	0.05(BDL)
49	4516	Kandahalli Lake	D (Preparation of water for,drinking)	28	4.6	8.5	1581	8	5.5	320	3500	NA	48	156	77.8	24	204	364	92	1.5(BDL)	0.4	296	156	62	140	34	44	201	1046	98	0.95	0.5(BDL)	22	0.2(BDL)	57	5	BDL	2.8
50	4517	Gandaharappa Tank	D (Preparation of water for,drinking)	26	4.4	8.1	700	11	2.7	1700	4600	NA	3(BDL)	164	8.5	5(BDL)	164	116	101	1.5(BDL)	0.8	148	80	32	68	17	13	82	476	10(BDL)	1.2	0.5(BDL)	15	0.2(BDL)	51	2.9	BDL	4.3
51	4519	Rampura Lake	E (Drinking, industrial cooling and controlled waste)	27	0.3(BDL)	6.7	1636	74	6	2400	11000	NA	3(BDL)	484	46	5(BDL)	484	216	488	26.3	20.2	328	168	39	23	250	1112	60	1.64	0.5(BDL)	37	0.34	59	6	BDL	3.49		
52	4520	Chinnayashalli Lake	D (Preparation of water for,drinking)	27	4.9	8.5	615	9	2.4	580	3500	NA	24	104	8.4	12	128	168	84	1.5(BDL)	0.77	96	52	21	44	11	16	76	430	10(BDL)	0.2(BDL)	0.5(BDL)	13	0.3	59	3.4	BDL	0.05(BDL)
53	4521	Devanahalli Lake	E (Drinking, industrial cooling and controlled waste)	28	1.2	7.5	998	18	4	2600	9400	NA	3(BDL)	120	79	3(BDL)	120	188	156	4.16	3.2	136	72	29	64	16	28	120	678	104	0.2(BDL)	0.5(BDL)	28	0.36	60	4	BDL	0.05(BDL)
54	4522	Vihathapura Lake	D (Preparation of water for,drinking)	21	5.9	7.8	646	7	2.1	210	3500	NA	104	39.3	3(BDL)	104	60	60	1.5(BDL)	0.4	136	72	29	64	16	29	55	438	50	0.2(BDL)	0.5(BDL)	14	0.2(BDL)	41	2	BDL	0.05(BDL)	
55	4523	Nalhalli Lake	D (Preparation of water for,drinking)	27	4.9	6.6	750	9	4.7	1700	13000	NA	3(BDL)	76	7.3	3(BDL)	76	240	86	1.5(BDL)	0.79	240	136	54	124	30	118	140	520	20	0.3	0.5(BDL)	16	0.4	52	3.8	BDL	0.8
56	4524	Pattandur Agrahara Lake	E (Drinking, industrial cooling and controlled waste)	26	4.7	7.4	2260	10	10	2100	9400	NA	3(BDL)	416	9.8	5(BDL)	416	552	90	1.5(BDL)	0.72	524	268	107	256	62	61	291	1552	20	3.1	0.5(BDL)	30	0.25	69	5.5	BDL	6.2
57	4525	Sahayansagar Lake	D (Preparation of water for,drinking)	26	4.6	8.5	1020	10	5.6	2600	4800	NA	44	160	9.7	32	224	124	98	1.5(BDL)	0.82	284	148	59	136	53	36	163	652	12	1.7	0.5(BDL)	22	0.2(BDL)	53	4.2	BDL	6
58	4526	Devanahalli Lake	E (Drinking, industrial cooling and controlled waste)	20	3.3	6.5	624	16	2.39	17000	33000	NA	3(BDL)	140	38.8	3(BDL)	140	100	133	4.5	3.6	168	88	35	80	19	25	60	430	46	0.59	0.5(BDL)	12	0.2(BDL)	42	2	BDL	1.72
59	4527	Shreevarna Whitefield Lake	D (Preparation of water for,drinking)	24	4.7	8.1	1235	10	10	14000	46000	NA	3(BDL)	208	10.2	3(BDL)	208	292	94	1.5(BDL)	0.76	248	128	51	120	29	26	164	850	14	2	0.5(BDL)	20	0.2(BDL)	57	4.5	BDL	3.7
60	4528	Doddahallanahalli Lake	E (Drinking, industrial cooling and controlled waste)	28	1.3	7.9	2015	17	7	2300	7900	NA	3(BDL)	564	122	3(BDL)	564	332	132	2.86	2.3	340	176	70	164	40	108	252	1370	158	1.64	0.5(BDL)	40	0.36	58	6	BDL	3.49
61	4529	Kavayashalli Lake	D (Preparation of water for,drinking)	27	6	7.7	986	5	4	220	2400	NA	3(BDL)	120	5.7	3(BDL)	120	184	48	1.5(BDL)	0.46	148	80	32	68	17	34	118	680	10(BDL)	0.2(BDL)	0.5(BDL)	30	0.27	58	4	BDL	0.21
62	4530	Kannanahalli Lake	E (Drinking, industrial cooling and controlled waste)	23	0.3(BDL)	7.4	2356	90	9	310000	940000	NA	3(BDL)	552	16.2	3(BDL)	552	400	369	27	21	640	324	130	316	77	96	188	1648	20	0.76	0.5(BDL)	47	0.48	37	3.2	BDL	2.16
63	4531	Rajyanahalli Lake	E (Drinking, industrial cooling and controlled waste)	21	0.3(BDL)	7.7	2250	66	8.6	1700	7900	NA	3(BDL)	524	8.1	3(BDL)	524	380	328	5.8	4.9	612	308	123	304	74	92	180	1562	10(BDL)	0.69	0.5(BDL)	45	0.46	37	3.2	BDL	1.03
64	4532	Chandapura Lake	E (Drinking, industrial cooling and controlled waste)	24	0.3(BDL)	7.19	2552	51	11	140000	490000	NA	3(BDL)	608	14	3(BDL)	608	448	354	42	32	708	360	144	348	85	34	236	1736	150	0.96	0.5(BDL)	28	0.67	45	5	BDL	2.97
65	4534	Sompura Lake	D (Preparation of water for,drinking)	27.6	4.8	8.7	1284	9	5.5	170	2400	NA	96	632	9.2	48	528	164	80	1.5(BDL)	0.78	188	96	38	92	22	47	164	894	12	0.2(BDL)	0.5(BDL)	32	0.21	61	5.2	BDL	0.05(BDL)
66	4536	Hoskotehalli Lake	E (Drinking, industrial cooling and controlled waste)	28.8	1.5	6.7	1038	17	4.3	240	3500	NA	3(BDL)	500	18.5	3(BDL)	500	104	114	3.6	2.8	316	164	66	152	37	9	136	724	24	6	0.5(BDL)	30	0.2(BDL)	45	3.3	BDL	13.4
67	4537	Channarayana Kere	E (Drinking, industrial cooling and controlled waste)	26.7	4.6	8.8	1400	9	6.7	3400	13000	NA	104	612	7.8	52	716	204	86	1.5(BDL)	0.91	268	152	61	144	35	46	197	972	10(BDL)	0.4	0.5(BDL)	36	0.24	55	5	BDL	1
68	4538	Machali Lake	E (Drinking, industrial cooling and controlled waste)	26	0.3(BDL)	7.7	3090	120	11.8	14000	46000	NA	3(BDL)	724	18.4	3(BDL)	724	528	401	30	24	848	428	171	420	102	126	247	2156	24	1.65	0.5(BDL)	62	0.26	37	3.7	BDL	4.54
69	4539	Doddahallanahalli Lake	E (Drinking, industrial cooling and controlled waste)	27	0.8	7.6	1185	18	6	1100000	4900000	NA	3(BDL)	456	20.5	3(BDL)	456	152	120	3.3	2	436	224	90	212	52	53	174	525	28	2	0.5(BDL)	35	0.28	44	3.6	BDL	3.9
90	4540	Kannanahalli Lake	E (Drinking, industrial cooling and controlled waste)	29	0.7	7.8	1360	18	6.6	1700	4800	NA	3(BDL)	652	18.6	3(BDL)	652	216	120	2.9	2.2	428	220	88	208	51	23	191	944	24	6	0.5(BDL)	35	0.22	34	4	BDL	14.7
91	4542	Buvarapura Lake	D (Preparation of water for,drinking)	26	4.4	7.4	641	8	1.1	11000	33000	NA	3(BDL)	148	54	3(BDL)	148	100	83	1.5(BDL)	0.4	192	104	42	88	21	23	60	370	68	0.2(BDL)	0.5(BDL)	8	0.32	39	2	BDL	0.05(BDL)
92	4543	Kadi Sanganahalli Lake	D (Preparation of water for,drinking)	26	4.2	7.28	1014	5	2.5	2400	4800	NA	3(BDL)	180	12.3	3(BDL)	180	224	55	1.5(BDL)	0.4	236	124	50	112	27	52	96	670	16	0.2(BDL)	0.5(BDL)	6	0.47	46	3	BDL	0.05(BDL)
93	4544	Kothnara Lake	D (Preparation of water for,drinking)	25.6	4.3	7.6	457	7	NA	2700	11000	NA	3(BDL)	136	12.3	3(BDL)	136	44	63	1.5(BDL)	0.9	204	108	43	96	23	17	39	320	16	0.2(BDL)	0.5(BDL)	4	0.3	29	1.1	BDL	0.05(BDL)
94	4547	Mangamangalya Lake(Swaran Kante)	E (Drinking, industrial cooling and controlled waste)	27	3	7.6	1135	15	3.6	13000	46000	NA	3(BDL)	320	130	3(BDL)	320	176	149	13	10	308	160	64	148	36	17	110	774	170	1.2	0.5(BDL)	14	0.36	42	2.7	BDL	3.2
95	5558	Kannahalli Lake,Kannahalli, Bengaluru	D (Preparation of water for,drinking)	27	4.1	7.4	1713	5	6.6	1700	7900	NA	3(BDL)	400	9.8	3(BDL)	400	292	48	1.5(BDL)	0.86	460	236	94	224	54	70	137	1186	14	0.5	0.5(BDL)	34	0.2(BDL)	37	2.7	BDL	1.4
96	5560	Hoski (Rajayya Lake) Bpl Main Road, Near Hoski,Bengaluru	D (Preparation of water for,drinking)	27	4.8	8.5	990	10	5.6	2100	11000	NA	44	136	6.8	32	220	168	94	1.5(BDL)	0.84	268	140	56	128	31	29	163	678	10(BDL)	1.5	0.5(BDL)	23	0.23	54	4.3	BDL	5.5
97	5561	Mandohalli Lake,Mandohalli, East Taluk, Bengaluru	D (Preparation of water for,drinking)	26	4.8	8.4	760	10	2.9	1700	7900	NA	32	144	11.2	16	176	120	99	1.5(BDL)	0.83	164	88	35	76	18	21	93	522	18	0.9	0.5(BDL)	19	0.2(BDL)	52	3.2	BDL	1.8
98	5562	Mahadevaraj Lake, K. R. Puram, Bengaluru East Taluk	D (Preparation of water for,drinking)	27	5.6	8.5	634	6	22	140	2400	NA	32	84	38.6	16	116	104	56	1.5(BDL)	0.4	100	56	22	44	11	10	95	426	52	0.2(BDL)	0.5(BDL)	20	0.2(BDL)	62	4	BDL	0.05(BDL)
99	5563	Sagathi Lake,Buvarapura Road,Battarahalli, Bengaluru East	E (Drinking, industrial cooling and controlled waste)	21	3.2	7.8	996	13	3.8	14000	46000	NA	3(BDL)	228	42.8	3(BDL)	228	164	125	4.7	3.8	268	140	56	128	31	41											